


Socket outlet

Socket insert Protective Contact (SCHUKO) Safety Shutter with Hinged Lid and Different locking white - Saga



Tyyppi: 20 EUKBSL-916-101-510

Tuotekoodi: 2CKA002018A1572

GTIN: 4011395316207

Shuttered. With screwless terminals. DP (2 P + E) With different lock mechanism. Delivery includes 2 keys.

Tekniset tiedot

Sähkösuureet

| | |
|------------------|-------|
| Nominal current: | 16 A |
| Nominal voltage: | 250 V |

Luokitus

| | |
|-----------------------------------------|------|
| Suitable for degree of protection (IP): | IP20 |
|-----------------------------------------|------|

Pakkaus

| | |
|----------|------|
| Paketti: | 1/10 |
| Yksikkö: | kpl |

ETIM Data

| | |
|--------------------------------|----------|
| ETIM Version: | ETIM-9.0 |
| ETIM Class: | EC000125 |
| Number of active pins (round): | 2 |

Tuotekortti

Socket insert Protective Contact (SCHUKO) Safety Shutter with Hinged Lid and Different locking white - Saga



| | |
|-----------------------------------|------------------------------|
| With signal lamp: | Ei |
| Number of units: | 1 |
| Number of phases: | 1 |
| Imprint/indication: | None |
| With hinged lid: | Ei |
| With enhanced contact protection: | Ei |
| Label space/information surface: | Ei |
| Colour: | Other |
| RAL-number (similar): | 9003 |
| Metallic colour: | Ei |
| Transparent: | Ei |
| Lockable: | Ei |
| Eject-mechanism: | Ei |
| Insulated mounting: | Kyllä |
| With function lighting: | Ei |
| With orientation lighting: | Ei |
| Over voltage protection: | Ei |
| Fault current protection: | Ei |
| With miniature fuse: | Ei |
| Special power supply: | No special power supply |
| Mounting method: | Flush mounted (plaster) |
| Type of fastening: | Mounting with claw and screw |
| Material: | Plastic |
| Material quality: | Thermoplastic |
| Halogen free: | Ei |
| Surface protection: | Untreated |
| Surface finishing: | Glossy |
| Anti-bacterial treatment: | Ei |
| With loop through function: | Ei |
| With on/off switch: | Ei |
| Rotated central insert: | Ei |
| Impact strength: | IK03 |
| Device width: | 71 mm |

Tuotekortti

Socket insert Protective Contact (SCHUKO) Safety Shutter with Hinged Lid and Different locking white - Saga



| | |
|------------------------------------------|-------|
| Device height: | 71 mm |
| Device depth: | 49 mm |
| Min. depth of built-in installation box: | 31 mm |
| Compatible with Apple HomeKit: | Ei |
| Compatible with Amazon Alexa: | Ei |
| Compatible with Google Assistant: | Ei |
| IFTTT support available: | Ei |
| With Wi-Fi signal repeater: | Ei |
| With built-in bluetooth speaker: | Ei |