

Socket outlet

Socket outlet, Jussi, Schuko, 1-gang, shuttered, screwless terminals, LED light



Tyyppi: 20EUCBLI-214

Tuotekoodi: 2TKA00000887

GTIN: 4011395100738



There are terminals for each contact of the socket outlet. The terminals are for max 2 solid or rigid wires. No X-terminals. A white color LED light (230V/2,5mA/0,6VA) is integrated into the socket outlet. The light can be controlled separately or it can be connected to the socket terminals.

Tekniset tiedot

Sähkösuureet

Nominal current:	16 A
Nominal voltage:	250 V

Luokitus

Suitable for degree of protection (IP):	IP20
---	------

Pakkaus

Paketti:	1/10/100/1200
Yksikkö:	kpl

ETIM Data

ETIM Version:	ETIM-8.0
---------------	----------

ETIM Class:	EC000125
Model:	Protective contact (type F)
With built-in USB power supply:	Ei
Number of units:	1
Connection type:	Push-in clamp
With hinged lid:	Ei
With enhanced contact protection:	Kyllä
Label space/information surface:	Ei
Colour:	White
RAL-number (similar):	9010
Metallic colour:	Ei
Transparent:	Ei
Lockable:	Ei
Eject-mechanism:	Ei
Insulated mounting:	Ei
With function lighting:	Kyllä
With orientation lighting:	Ei
Over voltage protection:	Ei
Fault current protection:	Ei
With miniature fuse:	Ei
Special power supply:	Other
Mounting method:	Flush mounted (plaster)
Type of fastening:	Mounting with screw
Material:	Plastic
Material quality:	Thermoplastic
Halogen free:	Kyllä
Surface protection:	Untreated
Surface finishing:	Matt
With on/off switch:	Ei
With loop through function:	Ei
Rotated central insert:	Ei
Device width:	71 mm
Device height:	71 mm

Tuotekortti

Socket outlet, Jussi, Schuko, 1-gang, shuttered, screwless terminals, LED light



Device depth:

40 mm
