

Tuotekortti

Socket outlet, Impressivo IP44, 2-gang Schuko, shuttered, screwless terminals, branching terminals, white matt



Socket outlet

Socket outlet, Impressivo IP44, 2-gang Schuko, shuttered, screwless terminals, branching terminals, white matt



Tyyppi: 302ESW-884

Tuotekoodi: 2TKA00004836

GTIN: 6438199009315



There are terminals for each contact of the socket outlet for max 4 rigid wires. No X-terminals.

Tekniset tiedot

Sähkösuureet

Nominal current: 16 A

Nominal voltage: 250 V

Luokitus

Suitable for degree of protection (IP): IP44

Pakkaus

Paketti: 1/10/100/1200

Yksikkö: kpl

ETIM Data

ETIM Version: ETIM-9.0

ETIM Class: EC000125

Tuotekortti

Socket outlet, Impressivo IP44, 2-gang Schuko, shuttered, screwless terminals, branching terminals, white matt



Number of active pins (round):	2
With signal lamp:	Ei
Number of units:	2
Number of phases:	1
Imprint/indication:	None
Connection type:	Push-in clamp
With hinged lid:	Ei
With enhanced contact protection:	Ei
Label space/information surface:	Ei
Colour:	White
RAL-number (similar):	9016
Metallic colour:	Ei
Transparent:	Ei
Lockable:	Ei
Eject-mechanism:	Ei
Insulated mounting:	Ei
With function lighting:	Ei
With orientation lighting:	Ei
Over voltage protection:	Ei
Fault current protection:	Ei
With miniature fuse:	Ei
Special power supply:	No special power supply
Mounting method:	Flush mounted (plaster)
Type of fastening:	Mounting with claw and screw
Material:	Plastic
Material quality:	Thermoplastic
Halogen free:	Kyllä
Surface protection:	Lacquered
Surface finishing:	Matt
Anti-bacterial treatment:	Ei
With loop through function:	Ei
With on/off switch:	Ei
Rotated central insert:	Ei
Frequency:	50 Hz

Tuotekortti

Socket outlet, Impressivo IP44, 2-gang Schuko, shuttered, screwless terminals, branching terminals, white matt



Device width:	100 mm
Device height:	85 mm
Device depth:	52 mm
Compatible with Apple HomeKit:	Ei
Compatible with Google Assistant:	Ei
IFTTT support available:	Ei
With Wi-Fi signal repeater:	Ei
With built-in bluetooth speaker:	Ei