

# Push switch

Push switch Without imprint Single push button 1 pole, 2NO 0NC 0CO White - Saga



**Tyyppi:** 1466UC-916

**Tuotekoodi:** 2TKA00005014

**GTIN:** 6438199011349



Push switch with screwless terminals. The terminals are for max 2 rigid wires. Including transparent lens, switch insert and rocker.

## Tekniset tiedot

### Sähkösuureet

Nominal voltage:	250 V
------------------	-------

### Luokitus

Suitable for degree of protection (IP):	IP21
---	------

### Pakkaus

Paketti:	1/10/100/1800
----------	---------------

Yksikkö:	kpl
----------	-----

### ETIM Data

ETIM Version:	ETIM-9.0
---------------	----------

ETIM Class:	EC000029
-------------	----------

Assembly arrangement:	Basic element with central cover plate
-----------------------	--

Model:	Single push button
--------	--------------------

Method of operation:	Push button
Number of contacts as normally open contact:	2
Contactless type:	Ei
Number of rockers:	1
Number of poles:	1
Rated current:	16 A
With lighting:	Ei
With light source:	Ei
With signal lamp:	Ei
Feedback-signal contact:	Ei
Connection type:	Push-in clamp
Mounting method:	Flush mounted (plaster)
Type of fastening:	Screw mounting
Material:	Plastic
Material quality:	Thermoplastic
Halogen free:	Kyllä
Anti-bacterial treatment:	Ei
Surface protection:	Untreated
Surface finishing:	Glossy
Colour:	White
RAL-number (similar):	9003
Transparent:	Ei
Label space/information surface:	Ei
Imprint:	None
Impact strength:	IK00
Device width:	71 mm
Device height:	35 mm
Device depth:	71 mm
Min. depth of built-in installation box:	18 mm
Compatible with Apple HomeKit:	Ei
Compatible with Google Assistant:	Ei
Compatible with Amazon Alexa:	Ei
IFTTT support available:	Ei

# Tuotekortti

Push switch Without imprint Single push button 1 pole, 2NO 0NC 0CO White - Saga



---

—  
© ABB 2026

Y-tunnus 0763403-0

[www.installationmaterials.com](http://www.installationmaterials.com)

---

—  
Asiakaspalvelukeskus

puh. 010 222 1999

[contact.center@fi.abb.com](mailto:contact.center@fi.abb.com)

---

—  
Puhelinvaihte

010 22 11