


DSO hinged lid, surface IP44


DSO hinged lid, surface IP44 16 A White - Saga



Tyyppi: 402ESW-916

Tuotekoodi: 2TKA00005893

GTIN: 6438199028361



Surface mounting IP44 double socket outlet with terminals for each contact of the socket outlet for max 4 rigid wires. IP44 when lids are closed and installed horizontally (lids opening upwards). The lids are kept closed with a return spring when socket outlet is not in use. Bio-circular plastics used in the centre plate, lids and bottom plate.

Tekniset tiedot

Sähkösuureet

Nominal current: 16 A

Nominal voltage: 250 V

Luokitus

Suitable for degree of protection (IP): IP44

Pakkaus

Paketti: 1/8/80/960

Yksikkö: kpl

ETIM Data

ETIM Version:	ETIM-9.0
ETIM Class:	EC000125
Concurrently switching neutral conductor:	Ei
Number of active pins (round):	2
With signal lamp:	Ei
Number of phases:	1
Imprint/indication:	None
Connection type:	Push-in clamp
With hinged lid:	Ei
With enhanced contact protection:	Kyllä
Label space/information surface:	Ei
Colour:	White
RAL-number (similar):	9003
Metallic colour:	Ei
Transparent:	Ei
Lockable:	Ei
Eject-mechanism:	Ei
Insulated mounting:	Ei
With function lighting:	Ei
With orientation lighting:	Ei
Over voltage protection:	Ei
Fault current protection:	Ei
With miniature fuse:	Ei
Special power supply:	No special power supply
Mounting method:	Surface mounted (plaster)
Type of fastening:	Mounting with screw
Material:	Plastic
Material quality:	Duroplast
Halogen free:	Kyllä
Surface protection:	Untreated
Surface finishing:	Glossy
Anti-bacterial treatment:	Ei
With loop through function:	Ei
With on/off switch:	Ei

Tuotekortti

DSO hinged lid, surface IP44 16 A White - Saga



Rotated central insert:	Ei
Frequency:	50 Hz
Device width:	118 mm
Device height:	50 mm
Device depth:	85 mm
Compatible with Apple HomeKit:	Ei
Compatible with Amazon Alexa:	Ei
Compatible with Google Assistant:	Ei
With Wi-Fi signal repeater:	Ei
With built-in bluetooth speaker:	Ei