


Push switch insert

1-gang 1-way push switch insert
16A/250V, 2 X-terminals, lamp possibility



Tyyppi: 1461.21

Tuotekoodi: 2TKA000227G1

GTIN: 6418677328817



1-push switch insert without rocker. All 1-gang rockers fit to the insert except 1788-xx. The switch has 1 closing contact and 2 X-terminals. The X-terminals can be used for extending other wires or connecting the signal light. The signal light can be connected as a search- or signal light or as a completely separate signal light.

Tekniset tiedot

Sähkösuureet

Nominal voltage: 250 V

Rated current: 16 A

Luokitus

Suitable for degree of protection (IP): IP20

Pakkaus

Paketti: 10/100

Yksikkö: kpl

ETIM Data

Tuotekortti

1-gang 1-way push switch insert 16A/250V, 2 X-terminals, lamp possibility



ETIM Version:	ETIM-9.0
ETIM Class:	EC000029
Assembly arrangement:	Basic element
Model:	Single push button
Method of operation:	Push button
Number of contacts as normally open contact:	1
Contactless type:	Ei
Number of rockers:	1
Number of poles:	1
Rated current:	16 A
With lighting:	Ei
With light source:	Ei
With signal lamp:	Ei
Feedback-signal contact:	Ei
Connection type:	Push-in clamp
Mounting method:	Flush mounted (plaster)
Type of fastening:	Mounting with claw and screw
Material:	Plastic
Material quality:	Thermoplastic
Halogen free:	Kyllä
Anti-bacterial treatment:	Ei
Surface protection:	Untreated
Transparent:	Ei
Label space/information surface:	Kyllä
Imprint:	Numbers
Impact strength:	IK00
Device width:	70 mm
Device height:	70 mm
Device depth:	26 mm
Min. depth of built-in installation box:	15 mm
Compatible with Apple HomeKit:	Ei
Compatible with Google Assistant:	Ei
Compatible with Amazon Alexa:	Ei
IFTTT support available:	Ei

Tuotekortti

1-gang 1-way push switch insert 16A/250V, 2 X-terminals, lamp possibility

