

Junction box IP20

Junction box IP20, white, 60 x 60 mm

**Tyyppi:** AP6**Tuotekoodi:** 2TKA140006G1**GTIN:** 6410016020062

The AP6 square junction box is spacious and easy to wire. The box is equipped with an insulated 5-way connector. The transparent wire connector makes it easy to ensure sufficient wire depth. The maximum wire capacity per connector is 4 x 2,5 mm² or 6 x 1,5 mm². The box has 6 knock-outs, 2 of which are in the bottom. Made of halogen free material (IEC/61249-2-21).

Tekniset tiedot

Sähkösuureet

Rated voltage:	400 V
----------------	-------

Luokitus

Enclosure class:	IP20
------------------	------

Dimensions

Weight:	42 g
For conductor:	2.5 mm ²

Colors

Colour:	White
Colour code:	RAL9003

Pakkaus

Paketti:	10/100
Yksikkö:	kpl

ETIM Data

ETIM Version:	ETIM-9.0
ETIM Class:	EC002600
Model:	Junction box
Equipped with:	None
Shape:	Square
Mounting method:	Universal
Mounting in the soil:	Ei
Mounting under water:	Ei
Inlet from the rear:	Kyllä
Length:	29 mm
Width:	60 mm
Depth:	60 mm
Tackable:	Ei
Number of inlets:	8
Type of housing feed-through:	Seal membrane
Material:	Plastic
Halogen free:	Kyllä
Surface protection:	Untreated
Colour:	White
Degree of protection (IP):	IP20
Cover model:	Blind cover
Transparent cover:	Ei
Cover attachment:	Screwed
Castable:	Ei
With casting compound:	Ei
Sealable:	Ei
Rated insulation voltage Ui:	230 V
With screening:	Ei

Tuotekortti

Junction box IP20, white, 60 x 60 mm



Weatherproof:	Ei
Operating temperature:	-15...60 °C
Explosion-tested version:	Ei