

---

# Junction box

Junction box, grey, 60x60 mm, incl. connector



**Tyyppi:** AP6.2

**Tuotekoodi:** 2TKA140007G1

**GTIN:** 6418677308055



Square junction box AP6 is spacious and easy to wire. The box is equipped with an insulated 5-way connector. The transparent wire connector makes it easy to ensure sufficient wire depth. Max. wire capacity per connector is 4 x 2,5 mm<sup>2</sup> or 6 x 1,5 mm<sup>2</sup>. The box has 8 knock-outs, 2 of which are in the bottom. Made of halogen free material (IEC/61249-2-21).

## Tekniset tiedot

### Sähkösuureet

Rated voltage:	400 V
----------------	-------

### Luokitus

Enclosure class:	IP20
------------------	------

### Dimensions

Weight:	42 g
For conductor:	2.5 mm <sup>2</sup>

## Colors

Colour:	Grey
Colour code:	RAL7035

## Pakkaus

Paketti:	10/100
Yksikkö:	kpl

## ETIM Data

ETIM Version:	ETIM-9.0
ETIM Class:	EC002600
Shape:	Square
Mounting method:	Universal
Mounting in the soil:	Ei
Mounting under water:	Ei
Inlet from the rear:	Kyllä
Length:	29 mm
Width:	60 mm
Depth:	60 mm
Tackable:	Ei
Number of inlets:	8
Material:	Other
Halogen free:	Kyllä
Surface protection:	Untreated
Colour:	Grey
Degree of protection (IP):	IP20
Cover model:	Blind cover
Transparent cover:	Ei
Cover attachment:	Screwed
Castable:	Ei
With casting compound:	Ei
Sealable:	Ei
Rated insulation voltage Ui:	230 V

# Tuotekortti

Junction box, grey, 60x60 mm, incl. connector



With screening:	Ei
Weatherproof:	Ei
Operating temperature:	-15...60 °C
Explosion-tested version:	Ei