

## Product Card

Socket outlet unit, ProDuct, 2xShuko, white



# Socket outlet unit

Socket outlet unit, ProDuct, 2xShuko, white



**Type:** AUD11-214

**Product ID:** 2TKA00000813

**GTIN:** 6438199002057



Ready-to-install 2-gang socket outlet that contains an end package, covers, a junction box with strain-reliefs and a 3 connectors. Approved for 3-phase linking.

## Technical specification

### Electrical quantities

|                  |       |
|------------------|-------|
| Nominal current: | 16 A  |
| Nominal voltage: | 250 V |

### Classification

|   |      |
|---|------|
| Suitable for degree of protection (IP): | IP20 |
|---|------|

### Dimensions

|             |              |
|-------------|--------------|
| Dimensions: | 185x85x45 mm |
|-------------|--------------|

### Packing

|          |      |
|----------|------|
| Package: | 1/25 |
| Unit:    | PCS  |

# Product Card

Socket outlet unit, ProDuct, 2xShuko, white



## ETIM Data

|                                      |                            |
|--------------------------------------|----------------------------|
| ETIM Version:                        | ETIM-9.0                   |
| ETIM Class:                          | EC000125                   |
| Number of active pins (round):       | 2                          |
| With signal lamp:                    | No                         |
| Number of socket outlets switchable: | 1                          |
| Number of phases:                    | 1                          |
| Imprint/indication:                  | None                       |
| Connection type:                     | Push-in clamp              |
| With hinged lid:                     | No                         |
| With enhanced contact protection:    | Yes                        |
| Label space/information surface:     | No                         |
| Colour:                              | White                      |
| RAL-number (similar):                | 9010                       |
| Metallic colour:                     | No                         |
| Transparent:                         | No                         |
| Lockable:                            | No                         |
| Eject-mechanism:                     | No                         |
| Insulated mounting:                  | No                         |
| With function lighting:              | No                         |
| With orientation lighting:           | No                         |
| Over voltage protection:             | No                         |
| Fault current protection:            | No                         |
| With miniature fuse:                 | No                         |
| Special power supply:                | No special power supply    |
| Mounting method:                     | Wall duct                  |
| Type of fastening:                   | Snap mounting (engagement) |
| Material:                            | Plastic                    |
| Material quality:                    | Thermoplastic              |
| Halogen free:                        | Yes                        |
| Surface protection:                  | Untreated                  |
| Surface finishing:                   | Matt                       |

# Product Card

Socket outlet unit, ProDuct, 2xShuko, white



|                                   |        |
|-----------------------------------|--------|
| Anti-bacterial treatment:         | No     |
| With loop through function:       | No     |
| With on/off switch:               | No     |
| Rotated central insert:           | No     |
| Frequency:                        | 50 Hz  |
| Device width:                     | 45 mm  |
| Device height:                    | 85 mm  |
| Device depth:                     | 190 mm |
| Compatible with Apple HomeKit:    | No     |
| Compatible with Amazon Alexa:     | No     |
| Compatible with Google Assistant: | No     |
| IFTTT support available:          | No     |
| With Wi-Fi signal repeater:       | No     |
| With built-in bluetooth speaker:  | No     |