

## Product Card

Socket outlet, Impressivo, Schuko, 4-gang, shuttered, screwless terminals, white matt



# Socket outlet

Socket outlet, Impressivo, Schuko, 4-gang, shuttered, screwless terminals, white matt



**Type:** 404EA-884

**Product ID:** 2TKA00004826

**GTIN:** 6438199009056



There is 2 times 2-gang socket outlet inserts in one unit. The socket outlet inserts are internally connected. In one socket outlet insert there are terminals for each contact of the socket outlet for max 4 rigid wires. No X-terminals.

## Technical specification

### Electrical quantities

Nominal current:	16 A
Nominal voltage:	250 V

### Classification

Suitable for degree of protection (IP):	IP21
Protection class:	IP21

### Packing

Package:	1/20
Unit:	PCS

# Product Card

Socket outlet, Impressivo, Schuko, 4-gang, shuttered, screwless terminals, white matt



## ETIM Data

Number of active pins (round):	2
With signal lamp:	No
Number of units:	4
Number of phases:	1
Imprint/indication:	None
Connection type:	Push-in clamp
With hinged lid:	No
With enhanced contact protection:	No
Label space/information surface:	No
Colour:	White
RAL-number (similar):	9016
Metallic colour:	No
Transparent:	No
Lockable:	No
Eject-mechanism:	No
Insulated mounting:	No
With function lighting:	No
With orientation lighting:	No
Over voltage protection:	No
Fault current protection:	No
With miniature fuse:	No
Special power supply:	No special power supply
Mounting method:	Flush mounted (plaster)
Type of fastening:	Mounting with claw and screw
Material:	Plastic
Material quality:	Thermoplastic
Halogen free:	Yes
Surface protection:	Lacquered
Surface finishing:	Matt
Anti-bacterial treatment:	No
With loop through function:	No
With on/off switch:	No

# Product Card

Socket outlet, Impressivo, Schuko, 4-gang, shuttered, screwless terminals, white matt



Rotated central insert:	No
Frequency:	50 Hz
Device width:	115 mm
Device height:	100 mm
Device depth:	42 mm
Compatible with Apple HomeKit:	No
Compatible with Google Assistant:	No
IFTTT support available:	No