

Product Card

AKK6-916.1 DCL lighting outlet for walls White IP20



DCL lighting outlet for walls

AKK6-916.1 DCL lighting outlet for walls
White IP20



Type: AKK6-916

Product ID: 2TKA00005234

GTIN: 6438199012421



DCL lighting outlet, wall outlet, 85x85 mm, white. Bio-circular plastics used in the frame.

Technical specification

Electrical quantities

Nominal current:	6 A
Nominal voltage:	250 V

Classification

Suitable for degree of protection (IP):	IP20
-----------------------------------------	------

Packing

Package:	1/10/100/1200
Unit:	PCS

ETIM Data

ETIM Version:	ETIM-9.0
ETIM Class:	EC000125
Model:	DCL

© ABB 2026

Business ID 0763403-0

www.installationmaterials.com

Customer service

puh. +358 10 222 1999

contact.center@fi.abb.com

ABB Exchange

+358 10 22 11

Product Card

AKK6-916.1 DCL lighting outlet for walls White IP20



With signal lamp:	No
Number of phases:	1
Imprint/indication:	None
With hinged lid:	No
With enhanced contact protection:	No
Label space/information surface:	No
Colour:	White
RAL-number (similar):	9003
Metallic colour:	No
Transparent:	No
Lockable:	No
Eject-mechanism:	No
Insulated mounting:	No
With function lighting:	No
With orientation lighting:	No
Over voltage protection:	No
Fault current protection:	No
With miniature fuse:	No
Special power supply:	No special power supply
Mounting method:	Flush mounted (plaster)
Type of fastening:	Mounting with screw
Material:	Plastic
Material quality:	Thermoplastic
Halogen free:	No
Surface protection:	Untreated
Surface finishing:	Glossy
Anti-bacterial treatment:	No
With loop through function:	No
With on/off switch:	No
Rotated central insert:	No
Frequency:	50...60 Hz
Device width:	85 mm
Device height:	41 mm
Device depth:	85 mm

Product Card

AKK6-916.1 DCL lighting outlet for walls White IP20



Min. depth of built-in installation box:	25 mm
Compatible with Apple HomeKit:	No
Compatible with Amazon Alexa:	No
Compatible with Google Assistant:	No
IFTTT support available:	No
With Wi-Fi signal repeater:	No
With built-in bluetooth speaker:	No