

---

# Schuko, 2-gang, anthracite

AUD09-81 Schuko, 2-gang, anthracite  
Anthracite IP20

---

**Type:** AUD09-81

**Product ID:** 2TKA00005704

**GTIN:** 6438199023106

Socket outlet with terminals for each contact of the socket outlet for max 4 rigid wires. The socket outlet insert without the cover plate is screen-protected. The color of the center plate is green.



## Technical specification

### Electrical quantities

|                  |       |
|------------------|-------|
| Nominal current: | 16 A  |
| Nominal voltage: | 250 V |

### Classification

|   |      |
|---|------|
| Suitable for degree of protection (IP): | IP20 |
|---|------|

### ETIM Data

|                                      |               |
|--------------------------------------|---------------|
| ETIM Version:                        | ETIM-9.0      |
| ETIM Class:                          | EC000125      |
| Number of active pins (round):       | 2             |
| With signal lamp:                    | No            |
| Number of socket outlets switchable: | 2             |
| Number of phases:                    | 1             |
| Imprint/indication:                  | None          |
| Connection type:                     | Push-in clamp |

# Product Card

AUD09-81 Schuko, 2-gang, anthracite Anthracite IP20



|                                   |                         |
|-----------------------------------|-------------------------|
| With hinged lid:                  | No                      |
| With enhanced contact protection: | No                      |
| Label space/information surface:  | No                      |
| Colour:                           | Anthracite              |
| RAL-number (similar):             | 7021                    |
| Metallic colour:                  | No                      |
| Transparent:                      | No                      |
| Lockable:                         | No                      |
| Eject-mechanism:                  | No                      |
| Insulated mounting:               | No                      |
| With function lighting:           | No                      |
| With orientation lighting:        | No                      |
| Over voltage protection:          | No                      |
| Fault current protection:         | No                      |
| With miniature fuse:              | No                      |
| Special power supply:             | No special power supply |
| Mounting method:                  | Wall duct               |
| Type of fastening:                | Mounting with screw     |
| Material:                         | Plastic                 |
| Material quality:                 | Thermoplastic           |
| Halogen free:                     | No                      |
| Surface protection:               | Untreated               |
| Surface finishing:                | Glossy                  |
| Anti-bacterial treatment:         | No                      |
| With loop through function:       | No                      |
| With on/off switch:               | No                      |
| Rotated central insert:           | No                      |
| Frequency:                        | 50 Hz                   |
| Device width:                     | 22 mm                   |
| Device height:                    | 80 mm                   |
| Device depth:                     | 85 mm                   |
| Compatible with Apple HomeKit:    | No                      |
| Compatible with Amazon Alexa:     | No                      |
| Compatible with Google Assistant: | No                      |

## Product Card

AUD09-81 Schuko, 2-gang, anthracite Anthracite IP20



---

|                                  |    |
|----------------------------------|----|
| IFTTT support available:         | No |
| With Wi-Fi signal repeater:      | No |
| With built-in bluetooth speaker: | No |

---