

## Product Card

DSO hinged lid, surface IP44 16 A White - Saga



# DSO hinged lid, surface IP44

DSO hinged lid, surface IP44 16 A White - Saga



**Type:** 402ESW-916

**Product ID:** 2TKA00005893

**GTIN:** 6438199028361



Surface mounting IP44 double socket outlet with terminals for each contact of the socket outlet for max 4 rigid wires. IP44 when lids are closed and installed horizontally (lids opening upwards). The lids are kept closed with a return spring when socket outlet is not in use. Bio-circular plastics used in the centre plate, lids and bottom plate.

## Technical specification

### Electrical quantities

Nominal current:	16 A
Nominal voltage:	250 V

### Classification

Suitable for degree of protection (IP):	IP44
---	------

### Packing

Package:	1/8/80/960
Unit:	PCS

### ETIM Data

© ABB 2026

Business ID 0763403-0

[www.installationmaterials.com](http://www.installationmaterials.com)

**Customer service**

puh. +358 10 222 1999

[contact.center@fi.abb.com](mailto:contact.center@fi.abb.com)

**ABB Exchange**

+358 10 22 11

# Product Card

DSO hinged lid, surface IP44 16 A White - Saga



ETIM Version:	ETIM-9.0
ETIM Class:	EC000125
Concurrently switching neutral conductor:	No
Number of active pins (round):	2
With signal lamp:	No
Number of phases:	1
Imprint/indication:	None
Connection type:	Push-in clamp
With hinged lid:	No
With enhanced contact protection:	Yes
Label space/information surface:	No
Colour:	White
RAL-number (similar):	9003
Metallic colour:	No
Transparent:	No
Lockable:	No
Eject-mechanism:	No
Insulated mounting:	No
With function lighting:	No
With orientation lighting:	No
Over voltage protection:	No
Fault current protection:	No
With miniature fuse:	No
Special power supply:	No special power supply
Mounting method:	Surface mounted (plaster)
Type of fastening:	Mounting with screw
Material:	Plastic
Material quality:	Duroplast
Halogen free:	Yes
Surface protection:	Untreated
Surface finishing:	Glossy
Anti-bacterial treatment:	No
With loop through function:	No
With on/off switch:	No

# Product Card

DSO hinged lid, surface IP44 16 A White - Saga



Rotated central insert:	No
Frequency:	50 Hz
Device width:	118 mm
Device height:	50 mm
Device depth:	85 mm
Compatible with Apple HomeKit:	No
Compatible with Amazon Alexa:	No
Compatible with Google Assistant:	No
With Wi-Fi signal repeater:	No
With built-in bluetooth speaker:	No