Socket outlet, 2-gang, flush, 2xUSB-C



Socket outlet, 2-gang, flush, 2xUSB-C - Impressivo

Type: 302EUJ2USBC-885

Product ID: 2TKA00006028

GTIN: 6438199033389

Double socket outlet with 2 USB C. With screwless terminals. For connecting electric loads.
For supply and support of mobile devices via USB-cable.
Simultaneous charging via USB connection and use of the SCHUKO® socket outlet.
With electronic short-circuit and electronic overload protection.

Technical specification

Electrical quantities

Nominal current:	16 A
Nominal voltage:	230 V

Classification

Suitable for degree of protection (IP):	IP20

ETIM Data

ETIM Version:	ETIM-9.0
ETIM Class:	EC000125
Number of active pins (round):	2
With signal lamp:	No

© ABB 2026
Business ID 0763403-0
www.installationmaterials.com

Customer service
puh. +358 10 222 1999
contact.center@fi.abb.com

ABB Exchange
+358 10 22 11

Maximum current rating of USB power supply:	3 A
Number of phases:	1
Imprint/indication:	None
Connection type:	Other
With enhanced contact protection:	No
Label space/information surface:	No
Colour:	Black
RAL-number (similar):	9005
Metallic colour:	No
Lockable:	No
Eject-mechanism:	No
With function lighting:	No
With orientation lighting:	No
With miniature fuse:	No
Special power supply:	No special power supply
Mounting method:	Flush mounted (plaster)
Type of fastening:	Mounting with screw
Material:	Plastic
Material quality:	Thermoplastic
Halogen free:	No
Surface protection:	Untreated
Surface finishing:	Matt
Anti-bacterial treatment:	No
With loop through function:	No
With on/off switch:	No
Rotated central insert:	No
Device width:	85 mm
Device height:	100 mm
Device depth:	41 mm
Min. depth of built-in installation box:	19 mm
Compatible with Apple HomeKit:	No
Compatible with Amazon Alexa:	No
Compatible with Google Assistant:	No

© ABB 2026
Business ID 0763403-0
www.installationmaterials.com

Customer service
puh. +358 10 222 1999
contact.center@fi.abb.com

ABB Exchange
+358 10 22 11

IFTTT support available:	No

© ABB 2026