

Push switch

1-gang 1-way push switch, 10A/250V, Impressivo, 2 X-terminals, anthracite

Typ: 1461A-81

Produkt ID: 2TKA00001605

GTIN: 6438199003269



Surface mounting switch with screwless terminals. The terminals are for max 2 solid or rigid wires. Including switch insert, rocker, surface mounting frame and bottom.



Teknisk specifikation

Elektriska värden

Nominal voltage:	250 V
------------------	-------

Klassificering

Suitable for degree of protection (IP):	IP21
Protection class:	IP21

Packning

Förpackning:	1/10/100/1200
Enhet:	st

ETIM Data

ETIM Version:	ETIM-9.0
ETIM Class:	EC000029
Assembly arrangement:	Basic element with complete housing

Model:	Single push button
Method of operation:	Push button
Number of contacts as normally open contact:	1
Contactless type:	Nej
Number of rockers:	1
Number of poles:	1
Rated current:	16 A
With lighting:	Nej
With light source:	Nej
With signal lamp:	Nej
Feedback-signal contact:	Nej
Connection type:	Push-in clamp
Mounting method:	Surface mounted (plaster)
Type of fastening:	Screw mounting
Material:	Plastic
Material quality:	Thermoplastic
Halogen free:	Ja
Anti-bacterial treatment:	Nej
Surface protection:	Untreated
Surface finishing:	Glossy
Colour:	Anthracite
RAL-number (similar):	7021
Transparent:	Nej
Label space/information surface:	Nej
Imprint:	None
Impact strength:	IK00
Device width:	85 mm
Device height:	33 mm
Device depth:	85 mm
Min. depth of built-in installation box:	15 mm
Compatible with Apple HomeKit:	Nej
Compatible with Google Assistant:	Nej
Compatible with Amazon Alexa:	Nej
IFTTT support available:	Nej

Produktblad

1-gang 1-way push switch, 10A/250V, Impressivo, 2 X-terminals, anthracite

