

# Socket outlet

Socket outlet, Impressivo, Schuko, 2-gang, shuttered, screwless terminals, black matt



**Typ:** 402EA-885

**Produkt ID:** 2TKA00004442

**GTIN:** 6438199008431



There are terminals for each contact of the socket outlet for max 4 rigid wires. No X-terminals.

## Teknisk specifikation

### Elektriska värden

|                  |       |
|------------------|-------|
| Nominal current: | 16 A  |
| Nominal voltage: | 250 V |

### Klassificering

|   |      |
|---|------|
| Suitable for degree of protection (IP): | IP21 |
| Protection class:                       | IP21 |

### Packning

|              |               |
|--------------|---------------|
| Förpackning: | 1/10/100/1200 |
| Enhet:       | st            |

### ETIM Data

|               |          |
|---------------|----------|
| ETIM Version: | ETIM-9.0 |
| ETIM Class:   | EC000125 |

|                                   |                           |
|-----------------------------------|---------------------------|
| Number of active pins (round):    | 2                         |
| With signal lamp:                 | Nej                       |
| Number of units:                  | 2                         |
| Number of phases:                 | 1                         |
| Imprint/indication:               | None                      |
| Connection type:                  | Push-in clamp             |
| With hinged lid:                  | Nej                       |
| With enhanced contact protection: | Ja                        |
| Label space/information surface:  | Nej                       |
| Colour:                           | Black                     |
| RAL-number (similar):             | 9005                      |
| Metallic colour:                  | Nej                       |
| Transparent:                      | Nej                       |
| Lockable:                         | Nej                       |
| Eject-mechanism:                  | Nej                       |
| Insulated mounting:               | Nej                       |
| With function lighting:           | Nej                       |
| With orientation lighting:        | Nej                       |
| Over voltage protection:          | Nej                       |
| Fault current protection:         | Nej                       |
| With miniature fuse:              | Nej                       |
| Special power supply:             | No special power supply   |
| Mounting method:                  | Surface mounted (plaster) |
| Type of fastening:                | Mounting with screw       |
| Material:                         | Plastic                   |
| Material quality:                 | Thermoplastic             |
| Halogen free:                     | Ja                        |
| Surface protection:               | Lacquered                 |
| Surface finishing:                | Matt                      |
| Anti-bacterial treatment:         | Nej                       |
| With loop through function:       | Nej                       |
| With on/off switch:               | Nej                       |
| Rotated central insert:           | Nej                       |
| Frequency:                        | 50 Hz                     |
| Device width:                     | 85 mm                     |

# Produktblad

Socket outlet, Impressivo, Schuko, 2-gang, shuttered, screwless terminals, black matt



---

Device height: 43 mm

---

Device depth: 85 mm

---