

# Socket outlet

Socket outlet, Jussi, Schuko, 1-gang, shuttered, screw terminals



**Typ:** 23EAKS

**Produkt ID:** 2TKA000767G1

**GTIN:** 6410024061118



There are terminals for each contact of the socket outlet. The terminals are for max 2 rigid wires.

## Teknisk specifikation

### Elektriska värden

|                  |       |
|------------------|-------|
| Nominal current: | 16 A  |
| Nominal voltage: | 250 V |

### Klassificering

|   |      |
|---|------|
| Suitable for degree of protection (IP): | IP21 |
|---|------|

### Packning

|              |        |
|--------------|--------|
| Förpackning: | 10/100 |
| Enhet:       | st     |

### ETIM Data

|                                |          |
|--------------------------------|----------|
| ETIM Version:                  | ETIM-9.0 |
| ETIM Class:                    | EC000125 |
| Number of active pins (round): | 2        |

|                                   |                           |
|-----------------------------------|---------------------------|
| With signal lamp:                 | Nej                       |
| Number of units:                  | 1                         |
| Number of phases:                 | 1                         |
| Imprint/indication:               | None                      |
| Connection type:                  | Screwed terminal          |
| With hinged lid:                  | Nej                       |
| With enhanced contact protection: | Ja                        |
| Label space/information surface:  | Nej                       |
| Colour:                           | White                     |
| RAL-number (similar):             | 9010                      |
| Metallic colour:                  | Nej                       |
| Transparent:                      | Nej                       |
| Lockable:                         | Nej                       |
| Eject-mechanism:                  | Nej                       |
| Insulated mounting:               | Nej                       |
| With function lighting:           | Nej                       |
| With orientation lighting:        | Nej                       |
| Over voltage protection:          | Nej                       |
| Fault current protection:         | Nej                       |
| With miniature fuse:              | Nej                       |
| Special power supply:             | No special power supply   |
| Mounting method:                  | Surface mounted (plaster) |
| Type of fastening:                | Mounting with screw       |
| Material:                         | Plastic                   |
| Material quality:                 | Thermoplastic             |
| Halogen free:                     | Ja                        |
| Surface protection:               | Untreated                 |
| Surface finishing:                | Matt                      |
| Anti-bacterial treatment:         | Nej                       |
| With loop through function:       | Nej                       |
| With on/off switch:               | Nej                       |
| Rotated central insert:           | Nej                       |
| Frequency:                        | 50 Hz                     |
| Device width:                     | 63 mm                     |

# Produktblad

Socket outlet, Jussi, Schuko, 1-gang, shuttered, screw terminals



---

Device height: 43 mm

---

Device depth: 63 mm

---