

Junction box IP20

Junction box IP20, white, 60 x 60 mm



Typ: AP6

Produkt ID: 2TKA140006G1

GTIN: 6410016020062



The AP6 square junction box is spacious and easy to wire. The box is equipped with an insulated 5-way connector. The transparent wire connector makes it easy to ensure sufficient wire depth. The maximum wire capacity per connector is 4 x 2,5 mm² or 6 x 1,5 mm². The box has 6 knock-outs, 2 of which are in the bottom. Made of halogen free material (IEC/61249-2-21).

Teknisk specifikation

Elektriska värden

Rated voltage:	400 V
----------------	-------

Klassificering

Enclosure class:	IP20
------------------	------

Dimensions

Weight:	42 g
For conductor:	2.5 mm ²

Colors

Colour:	White
Colour code:	RAL9003

Packning

Förpackning:	10/100
Enhet:	st

ETIM Data

ETIM Version:	ETIM-9.0
ETIM Class:	EC002600
Model:	Junction box
Equipped with:	None
Shape:	Square
Mounting method:	Universal
Mounting in the soil:	Nej
Mounting under water:	Nej
Inlet from the rear:	Ja
Length:	29 mm
Width:	60 mm
Depth:	60 mm
Tackable:	Nej
Number of inlets:	8
Type of housing feed-through:	Seal membrane
Material:	Plastic
Halogen free:	Ja
Surface protection:	Untreated
Colour:	White
Degree of protection (IP):	IP20
Cover model:	Blind cover
Transparent cover:	Nej
Cover attachment:	Screwed
Castable:	Nej
With casting compound:	Nej
Sealable:	Nej
Rated insulation voltage Ui:	230 V
With screening:	Nej
Weatherproof:	Nej

Produktblad

Junction box IP20, white, 60 x 60 mm



Operating temperature: -15...60 °C

Explosion-tested version: Nej
