

---

# Junction box

Junction box, grey, 60x60 mm, incl. connector



**Typ:** AP6.2

**Produkt ID:** 2TKA140007G1

**GTIN:** 6418677308055



Square junction box AP6 is spacious and easy to wire. The box is equipped with an insulated 5-way connector. The transparent wire connector makes it easy to ensure sufficient wire depth. Max. wire capacity per connector is 4 x 2,5 mm<sup>2</sup> or 6 x 1,5 mm<sup>2</sup>. The box has 8 knock-outs, 2 of which are in the bottom. Made of halogen free material (IEC/61249-2-21).

## Teknisk specifikation

### Elektriska värden

Rated voltage:	400 V
----------------	-------

### Klassificering

Enclosure class:	IP20
------------------	------

### Dimensions

Weight:	42 g
For conductor:	2.5 mm <sup>2</sup>

### Colors

Colour:	Grey
Colour code:	RAL7035

## Packning

Förpackning:	10/100
Enhet:	st

## ETIM Data

ETIM Version:	ETIM-9.0
ETIM Class:	EC002600
Shape:	Square
Mounting method:	Universal
Mounting in the soil:	Nej
Mounting under water:	Nej
Inlet from the rear:	Ja
Length:	29 mm
Width:	60 mm
Depth:	60 mm
Tackable:	Nej
Number of inlets:	8
Material:	Other
Halogen free:	Ja
Surface protection:	Untreated
Colour:	Grey
Degree of protection (IP):	IP20
Cover model:	Blind cover
Transparent cover:	Nej
Cover attachment:	Screwed
Castable:	Nej
With casting compound:	Nej
Sealable:	Nej
Rated insulation voltage Ui:	230 V
With screening:	Nej
Weatherproof:	Nej
Operating temperature:	-15...60 °C
Explosion-tested version:	Nej

# Produktblad

Junction box, grey, 60x60 mm, incl. connector

